

Exploring Public Perceptions Of Nature Based Solutions To Flood Risk Management In Lagos, Nigeria.

Saudat Ajijola¹, Oludare. J. Obaleye², Olalekan Ajijola³ and Olatunde Arayela⁴

^{1,2}Lecturer, Caleb University, Imota, Lagos. Nigeria

³Civil Engineer, Eljay Consult Constructing Limited

⁴Professor, Federal University of Technology, Akure. Ondo-State. Nigeria

Date of Submission: 05-09-2022

Date of Acceptance: 13-09-2022

ABSTRACT: Urban flood risks and vulnerability in coastal cities have been directly linked to unplanned urbanization and development solutions that isolate ecosystem peculiarity. Whereas, Sustainable Urban Drainage Systems (SUDS) as Nature-Based Solutions are capable of reducing the impact of urbanization on flooding. This study investigated public perceptions of Nature-Based Solutions to flood management in Lagos-State, Nigeria. Data for this study were obtained from primary and secondary sources. Using a multi-level approach, 339 respondents participated in the mailed survey randomly administered across the five (5) administrative divisions of Lagos-State and results were analyzed using tables and Chart. Ecosystem services connected with Nature-based Solutions (NbS) and design strategies for Sustainable Urban Drainage Systems (SUDS) were reviewed from secondary sources. Results obtained revealed a high level of awareness of the determinants of flood risks. Most of the respondents (73%) consider NbS applicable in Lagos State. Although, a larger percentage has a fair knowledge of NbS as a concept, when provided with specific examples, 68% indicated that they are familiar with the methods. The result further revealed that majority (85%) are strongly disposed to 'trees planting' as a SUD strategy. 71% will consider permeable pavements and rainwater harvesting while 61% are inclined to rain garden, 47% and 35% will consider green roof and wetlands respectively. Analysis of survey revealed that the greatest barrier to implementing SUDS is the lack of awareness of the value and multiple benefits of NBS. We conclude that there is a clear need for the design of the built environment of

Lagos coastal city, particularly housing to integrate NbS and optimize its traditional function for improved urban flood resilience. Therefore, a consistent design approach and framework is required and thus calls for further studies. .

KEYWORDS:Community Stakeholders, Flood Risk Management, Nature-based Solutions, Sustainable Urban Drainage Systems.

I. INTRODUCTION

Lagos State, Nigeria is one of the fastest growing urban coastal megacities in the world. Historically, human societies have been attracted to the coast and this has overtime led to coastal urbanization (Le Berre & Robert, S, 2017). Presently, industrial, residential and commercial developments have taken over the landscape of Lagos city disrupting coastal dynamics and affecting the natural ecosystems. Several activities have traditionally driven development in the coastal city of Lagos state, basically; port-based activities, rural-urban migration, attractive socio-economic prospects; and more importantly, the political and administrative status of the city as the former capital of the colony and protectorate of Nigeria since 1914 and the nation's capital following independence in 1960 until its replacement in 1991 by Abuja as the federal capital (Bigon, 2009). The growing urban population of the city has necessitated more development and building construction which usually involves extensive reclamation of wetland area and removal of trees, natural vegetation as well as the introduction of impermeable surfaces such as roofs, roads, parking lot and sidewalks. This reduces infiltration of water into the ground and accelerates run off to drainages and streams after moderate to

intense precipitation; thus resulting to flash floods commonly experienced (Idowu & Home, 2015, Adelekan, 2016).

Floods are among the most expensive natural disasters (Munich Re 2014). Recurrent flood episodes in most part of Lagos city are harsh indication to the loss of wetlands and floodplain forests (Aderogba, 2012a; Aderogba et al., 2012). Traditionally, wetlands are perceived as areas with limited development potential, hence the reclamation for beneficial human purposes. However, this view is grossly wrong and does not reflect the values and benefits associated with wetlands (Kumar & Kanaujia 2014). Despite covering only 1.5% of the Earth's surface, wetlands provide a disproportionately high 40% of global ecosystem services including, mitigating floods by controlling the rate of runoff in urban areas. In practice, they represent almost perfect nature-based solutions for flood risk mitigation and adaptation (Haase, 2017) and provide efficient spaces to naturally retain water in times of high rainfall and long periods of precipitation. This function only changes when wetlands are made object of artificial embankment and river regulation; thus, allowing water to easily migrate into surrounding spaces creating loss of life, property and assets (Scheuer et al. 2012).

From studies, about 60 percent of Lagos metropolis was originally natural wetlands (Asangwe, 2006). Between 1990 and 2000, forested and non-forested wetlands reduced by over 70% and 12% respectively with an exponential growth in built-up area from 3.12 to 62.62 (Sq.km) (Idiege, et. al. 2018). Survey from a recent study on exploring the processes leading to flooding in wetlands of Lagos state revealed that floods as an end state may occur from different initial states and in different ways, based upon dynamic interaction in the environment; more specifically, through natural and anthropogenic influences (Ajijola, et. al, 2020). The same study showed a low level of awareness of the impact of physical geography (topography, vegetation and soil nature) as important determinants of flood risks in coastal cities. In reality, the physical geography and characteristics of Lagos State coupled with the unique tropical climate makes Lagos susceptible to various types of floods (Oteri & Ayeni, 2016); whereas the design of the built environment of the city was done with little or no consideration for ecosystem peculiarity. The traditional approach to managing surface runoffs and flood risk within most part of the city has been with open channels and drains which are designed to discharge rainwater into rivers. Yet, most of these channels are blocked, poorly maintained or

inadequate and no longer able to keep pace with on-going urbanization (Nkwunonwo et al., 2016). A clue from urban flood risk management in developed countries suggests that the world has moved mostly towards nature-based solutions (Rushton, 2001; Bliss et al., 2009; Stovm, 2010, Mbajiorgu, 2019) aimed at reducing storm water runoff as close as possible to the source (Sieker, 1998; Van der Sterren et al., 2009).

As Lagos City continues to experience rapid population growth and corresponding increase in the built up area coupled with the possibility of more precipitation associated with future climate change variability, there will be river saturation, rise in sea level and more floods; water may become part of our urban living. These thought presents an exciting opportunity for urban designers and architects to begin to reminisce on strategies and solutions inspired by nature and ecosystem peculiarity to manage flood risks. The study builds on evidences from empirical studies and existing literature on the multiple environmental and social co-benefits of Nature-Based Solutions (NbS) in addressing complex societal challenges from climate change and urbanization in a sustainable way. However, implementing NbS comes with numerous obstacles, particularly due to insufficient awareness of the benefits of such measures. Therefore, this study is aimed at investigating public perception on the application of nature-based solutions to flood risks mitigation and adaptation in Lagos State to improve community awareness on nature-based solutions and ensure environmental justice.

To achieve the goal set out in this research, the specific objectives are;

1. To appraise public understandings of flood risk determinants and the applicability of NbS to Lagos State urban flood risk management.
2. To explore ecosystem services connected with Nature-based Solutions (NbS) and design strategies for Sustainable Urban Drainage Systems (SUDS).

1.1 Description Of The Lagos Metropolis Of Nigeria

Lagos metropolis is a densely populated coastal city located in the south-western part of Nigeria between longitudes 2° 42' E and 4° 21' E and latitudes 6° 22' N and 6° 41' N (Ogunuga et al. 2012) and occupies a total land area of 3577.28 km², the population density is approximately 5926 persons per Km² (Oshodi 2013). The city lies in the tropical rainforest zone and it is characterized by a low-lying terrain of about 4 % slope, elevation of 0–2 m above sea level (BRNCC 2012) and several

inland waterways including mangrove swamps, freshwater swamps, lagoons and creeks. The city serves as a major hub for transportation, tourism, and economic activities in Nigeria; and accounts for about 32 % of the national Gross Domestic Product of Nigeria (GDP) with an average internally generated revenue (IGR) of 398 billion naira (Premium times, 2019). With a current metro area population of over 14 million and a growth rate of 3.34 % from 2019 (MacroTrends, 2020), 70 % of her population live in unplanned settlements such as slums (Adelekan 2010), it ranks 15th in the world in terms of population exposed to coastal flooding (Sojobi et al., 2015). This is not surprising as only 45.2 % of its built-up areas are connected with drains and less than 30 % of existing drains are maintained (Aderogba 2012a).

II. LITERATURE REVIEW

2.1 Application Of Nature-Based Solutions To Urban Flood Management

Diverse concepts have evolved over the years as a way to show the significance and benefits of nature and its functions in urban areas; amongst them are ecosystem services (ES), biophilic urbanism (BU), urban forests (UF), urban green spaces (UGS), green infrastructure (GI) and, more recently, nature-based solutions (NbS) (Ferreira et al., 2020; Xue, et al., 2019; Pauleit et.al., 2018; Laforteza et al., 2018; Escobedo et al., 2019). While ES are often valued in terms of immediate benefits to human well-being and economy, BU, UF, UGS, and GI focus on the provision of these ES through biodiversity protection, NbS simultaneously addresses diverse societal challenges in the long-term, allowing benefits to people and the environment itself (Ferreira et al., 2020).

Nature-based Solution (NbS), as used in environmental sciences and nature conservation contexts is an effective framework to adapt to and mitigate ongoing degradation of natural resources and climate change effects, while improving sustainable livelihoods and protecting natural ecosystems and biodiversity. They are solutions inspired by, supported by, or copied from nature to address complex societal challenges and combines technical, business, finance, governance, regulatory, and social innovation (Kabisch et al., 2017; Raymond et al., 2017). These solutions bring benefits to people and nature itself, and are sustainable and responsive to environmental change and hazards in the long-term. NbS present more efficient and cost-effective solutions than more traditional technical approaches (Kabisch et al., 2017).

Currently, there are several empirical evidences to the effectiveness of NbS in stormwater and flood risk management (MacKinnon. et.al, 2019). They have proved to be beneficial in improving human health and social wellbeing (Venkataramanan et al., 2019) and climate adaptation (Barton and Grant 2006; Hartig et al. 2014). The multifunctional capacity and supplementary benefits of NbS is perceived as a way to solve the ongoing debate between the interests (and continuing growth) of the economy and the environment.

Embedded in the NbS concept are Ecosystem-Based Adaptation (EBA) and Sustainable Urban Drainage Systems (SUDS) (Kabisch et al. 2017). Ecosystem-Based Adaptation (EbA) is defined as “the use of biodiversity and ecosystem services as part of an overall adaptation strategy to help people adapt to the adverse effects of climate change” (CBD 2009:41). EbA approaches include community-based adaptation; eco-system based disaster risk reduction; climate-smart agriculture; and green infrastructures, and often place emphasis on using participatory and inclusive processes and community/stakeholder engagement (Wikipedia, 2020). EbA is promoted by the United Nation Framework Convention on Climate Change (UNFCCC) and the Convention on Biological Diversity (CBD) (Seddon et al 2016).

On the other hand, SUDS is often used interchangeably with approaches such as Low Impact Development (LID) or green infrastructure (GI); they represent a collection of water management practices that aim to align modern drainage systems with natural water processes (CIRIA SuDS Manual, 2015) and sustainably drain surface water, while minimizing pollution and managing the impact on water quality of local water bodies. SUDS as a promising NbS mimics nature and typically manage rainfall close to where it falls by utilizing a mix of natural processes and green/grey components to harvest, infiltrate, slow, store, convey and treat runoff onsite (Srishantha&Rathnayake, 2017). These solutions range from hydraulic models for the planning phase to solutions for local retention of rainwater such as subsurface infiltration beds, green roofs and permeable paving, to drainage solutions such as separate sewers for rainwater and sewage water as well as local rainwater treatment (see table 1 below). It is promoted by the US Environmental Protection Agency as a concept for sustainable stormwater management (Fletcher et al. 2014).








Figure 1: Source: Ecosystem services connected with NBS



Source: Millennium Ecosystem Assessment, 2005

Table 1
DESIGN STRATEGIES FOR SUSTAINABLE URBAN DRAINAGE SYSTEMS (SUDS)

STRATEGIES	METHOD	BENEFIT category
1. BUILDING SYSTEMS		
<p>Rainwater harvesting systems</p>  <p>Source: www.istockphoto.com (2020)</p>	<p>Collect and store rainwater from roofs and other paved surfaces (such as car parks) for re-use</p>	<ul style="list-style-type: none"> • Carbon reduction and Sequestration • Climate change adaptation • Flood risk reduction • Water security/ Resource Conservation
<p>Permeable pavements</p>  <p>Source: archiproducts.com (2020)</p>	<p>Act as a hard surface for walking or driving, while enabling rainwater to infiltrate to the soil or underground storage</p>	
2. VEGETATION		
<p>Green roofs</p>  <p>Source: www.facilitiesnet.com</p>	<p>Involve constructing a soil layer on a roof to create a living surface that reduces surface runoff</p>	<ul style="list-style-type: none"> • Air quality and pollution control • Air and building Temperature • Carbon reduction and Sequestration • Flood risk reduction • Groundwater and

(2019)		soil moisture recharge
<p>Trees</p>  <p>Source: www.externalworkindex.co.uk (2020)</p>	Capture rainwater while also providing evapotranspiration, biodiversity and shade	<ul style="list-style-type: none"> • Health and well-being • Community cohesion and education opportunities

3. BIO RETENTION SYSTEMS

<p>Rain Gardens</p>  <p>Source: www.urbangreenup.eu (2020)</p>	Collect runoff in a temporary surface pond before it filters through vegetation and underlying soils	<ul style="list-style-type: none"> • Biodiversity and ecology • Climate change adaptation • Community cohesion and crime reduction • Education opportunities • Flood risk reduction
<p>Swales, detention basins and retention ponds</p>  <p>Source: www.urbangreenup.eu (2020)</p>	Slow the flow of water, store and treat runoff while draining it through the site and encouraging biodiversity. Also, Promotes infiltration as an effective means of controlling runoff and supporting groundwater recharge	<ul style="list-style-type: none"> • Groundwater and soil moisture recharge • Health and well-being • Recreation • Sewerage systems and sewage treatment • Water quality

III. METHODOLOGY

The study takes a multi-level approach in which a well-structured close-ended questionnaire was developed and administered randomly via mailed survey to community stakeholder's (building users, owners and professionals) across the five (5) administrative divisions of Lagos state (Ikeja, Badagry, Ikorodu, Lagos and Epe) in order to evaluate public perception of nature-based solutions. The questionnaire contained information on the socio-economic characteristics of respondents (Type of stakeholders and highest

level of education); Flood determinants and public understanding of NbS and SUDS strategies; Acceptance, Practice and Challenges with SUDS use in Lagos State, Nigeria. 339 responses were received and results of the quantitative data are analyzed using tables and chart as descriptive statistics.

IV. RESULTS

4.1 SOCIO-ECONOMIC CHARACTERISTICS OF RESPONDENTS

Analysis of the survey indicate that most of the respondents are built environment professionals as 55% of respondents are Urban planners and Architects while 27.5% are Construction professionals. Building users, Community leaders and building owners represent 10%, 5% and 2.5% respectively. On the highest level of education attained, table 2 above indicate that 70% of the respondents attained a doctoral or master’s degree (PhD/MSc), 25% had a bachelors

or higher national degree education (BSc/HND), none of the respondents are with only ordinary national diploma (OND) or high school degree (SSCE) and 5% indicated that they have received other form of educational training not listed.

Data collected on the socio-economic characteristics of respondents are presented in Figure 2. and Table 2. respectively.

COMMUNITY STAKEHOLDERS




Figure 2: Sampled stakeholder

Source: Author’s Field Survey (2020)

Table 2: SOCIO-ECONOMIC CHARACTERISTICS OF RESPONDENTS

Administrative divisions	STAKEHOLDERS	Freq.	Questionnaire Administered	LEVEL OF EDUCATION	Freq.
IKEJA	Construction professional	48	176	PhD/MSc	123
	Architect & Urban planner	97		BSc/HND	44
	Community leader & Politician	9		OND/SSCE	0
	Building owner	4		Others	9
	Building user & Urban residents	18		TOTAL	176
BADAGRY	Construction professional	7	24	PhD/MSc	17
	Architect & Urban planner	13		BSc/HND	6
	Community leader & Politician	1		OND/SSCE	0
	Building owner	1		Others	1
	Building user & Urban residents	2		TOTAL	24
IKORODU	Construction professional	17	63	PhD/MSc	44
	Architect & Urban planner	35		BSc/HND	16
	Community leader & Politician	3		OND/SSCE	0
	Building owner	2		Others	3
	Building user & Urban residents	6		TOTAL	63
LAGOS	Construction professional	15	56	PhD/MSc	39
	Architect & Urban planner	31		BSc/HND	14
	Community leader & Politician	3		OND/SSCE	0
	Building owner	1		Others	3
	Building user & Urban residents	6		TOTAL	56

	residents				
EPE	Construction professional	5	20	PhD/MSc	14
	Architect & Urban planner	11		BSc/HND	5
	Community leader & Politician	1		OND/SSCE	0
	Building owner	1		Others	1
	Building user & Urban residents	2		TOTAL	20
Total Number of Questionnaire Administered		339			

Source: Author's Field Survey (2020)

4.2 DETERMINANTS OF FLOOD RISKS, KNOWLEDGE AND APPLICABILITY OF NATURE-BASED SOLUTIONS (NBS)

Table 3: FLOOD DETERMINANTS AND PUBLIC PERCEPTION OF NBS, SUDS AND ASSOCIATED ISSUES																			
FLOOD DETERMINANTS										PUBLIC PERCEPTION									
ANTHROPOGENIC INFLUENCES					PHYSICAL GEOGRAPHY					KNOWLEDGE OF NATURE-BASED SOLUTION					APPLICABILITY OF NBS TO LAGOS FLOOD RISK MGT				
GRADE	Strongly disagree	Disagree	Maybe	Agree	Strongly agree	Strongly disagree	Disagree	Maybe	Agree	Strongly agree	V. Low	Low extent	Fair	Good	Great	V. Yes	No	Yes	No
	FREQ.	18	17	18	120	168	5	1	2	12	40	4	8	10	64	24	91	232	107
PER. (%)	54	5	6	35	50	1	3	8	38	12	19	2	31	19	73	27	68	32	

Source: Author's Field Survey (2020)

Table 3 represents an analysis of respondent's perception of the influence of human activities and physical geography on flood risks in Lagos State. It also shows public understanding of NbS and the applicability of SUDS in Lagos urban flood risk management. Results indicate a high level of awareness as over 89% and 88% of the respondents agree that anthropogenic and natural factors are strong determinants of flood risks

respectively. Also, most of them (73%) consider NbS applicable in Lagos State flood risk management. However, a larger percentage of the respondents have a fair knowledge of NbS as a concept. Although, when provided with specific examples of NbS approaches (SUDS, GI or LID), 68% indicated that they are familiar with these methods.

4.3 ACCEPTANCE AND CHALLENGES WITH SUDS USE IN LAGOS STATE.

Table 4: Acceptance and Challenges with SUDS use in Lagos State.

	Would you consider the following Sustainable urban drainage system strategies (SUDS)?						Challenges with the practice of NBS / SUDS						
	GREEN ROOF	RAINWATER HARVESTING	PERMEABLE PAVEMENTS	TREE PLANTING	RAIN GARDEN BIORETENTION	WETLANDS	LACK AWARENESS OF DEVELOPERS AND BUILDERS	MARKET EXPECTATION	ECONOMIC SITUATION	LACK GOVERNMENT SUPPORT	LACK TECHNICAL KNOWLEDGE	INADEQUATE STAKEHOLDER SUPPORT	
YES	160	240	240	288	208	120	224	47	0	23	36	0	9
NO	57	27	27	-	20	67							
MAYBE	112	72	72	51	111	152							
TOTAL	339 respondents												

Source: Author’s Field Survey (2020)

We appraised respondent’s willingness to consider some SUDS strategies independently and not in order of preference as indicated in Table 4 above. Figure 3 revealed that most of the respondents (85%) are strongly disposed to exploring planting of trees as a SUD strategy. 71%

indicated that they will consider permeable pavements and rainwater harvesting while 61% are inclined to rain garden, 47% and 35% of the respondents will consider green roof and wetlands respectively.




Figure 3: Respondents willingness to consider SUDS strategies

Source: Author’s Field Survey (2020)

4.4 DISCUSSION

On evaluating the challenges with implementing Sustainable Urban Drainage System (SUDS) strategies for sustainable urban flood management; analysis of survey revealed that 66% of respondents agreed that SUDS is a relatively new concept and that the greatest barrier to practicing SUDS is the lack of awareness of the value and multiple benefits of NBS for improved urban flood resilience. 14% agreed that the role of developers and builders cannot be underestimated

as they tend to keep things as simple as possible. 11% indicated the impact of lack of government support in SUDS practices while 7% and 3% agreed that current economic situation and inadequate stakeholder support are major limiting factors.

V. CONCLUSIONS

Through literature review, we explored ecosystem services connected with Nature- Based Solutions (NbS) and design strategies for

Sustainable Urban Drainage Systems (SUDS). We further conducted a quantitative survey to appraise current understandings of flood risk determinants and the applicability of NbS to Lagos State urban flood risk management. In addition, the survey also focused on evaluating public acceptance and challenges with the practice of SUDS within the study area.

Based on the review of the values of Nature-based Solutions (NbS) and benefits of Sustainable Urban Drainage System (SUDS), it appears that SUDS as a viable Nature inspired solution can be an effective option to the traditional piped or open drainage methods in managing surface water runoffs and reducing the impact of urbanization on flooding. Critical issues including population growth, urbanization, and climate change infer that traditional systems are no longer the most adequate option.

While majority of the respondents in this study who are professionals in the built environment (Architects, Planners and Construction Professionals) are very much aware of the influence of physical geography and anthropogenic factors as flood risk indicators, there is a general low level of awareness in the practice of Nature-Based Solutions (NbS) and Sustainable Urban Drainage System (SUDS) in Lagos State. Although, they are familiar with some of the SUDS design strategies. The most common practice is 'tree planting' mainly because it is an initiative promoted by the Lagos state government in response to changing ecosystem and climate conditions (Bassey, 2019). There is the need for government support in the implementation of SUDS.

To ensure public acceptance and confidence in the use of SUDS, we recommend continued research on the efficacy and associated benefits (cost, health, aesthetics and eco-social) of SUDS in Lagos urban flood risk management; we also advocate for targeted collaboration between researchers, practitioners, policy makers and community stakeholders; and suggest adopting dissemination initiatives that integrates awareness and education of NbS in grassroots community meetings.

We conclude that there is a clear need for the design of the built environment of Lagos coastal city, particularly housing to optimize its traditional function and integrate NbS for improved urban flood resilience. Therefore, a consistent design approach and framework is required and thus calls for further studies.

REFERENCES

- [1]. Adelekan, I. O. (2016). Flood risk management in the coastal city of Lagos, Nigeria. *Journal of Flood Risk Management*, 9(3), 255–264. <https://doi.org/10.1111/jfr3.12179>
- [2]. Aderogba, K.A. 2012. Global warming and challenges of floods in Lagos metropolis, Nigeria. *Academic Research International* Vol. 2(1), 448 – 468.
- [3]. Aderogba, K. (2012a). Qualitative studies of recent flood and sustainable growth and development of cities and towns in Nigeria. *International Journal of Academic Research in Economics and Management Science*, 1, 1–25.
- [4]. Alberti, M. (2005). The Effects of Urban Patterns on Ecosystem Function. *International Regional Science Review*, 28(2), 168–192. <https://doi.org/10.1177/0160017605275160>
- [5]. Ajijola, S., Arayela, O., & Bello, J. (2020). Equifinality of Flood Determinants in the Wetlands of Lagos State, Nigeria. *International Journal of Innovative Research and Development*, 9 issue 8(August), 81–89. <https://doi.org/10.24940/ijird/2020/v9/i8/AUG20025>
- [6]. Asangwe, C. K. (2006). The Douala Coastal Lagoon Complex, Cameroon: Environmental Issues. https://www.fig.net/pub/figpub/pub36/chapters/chapter_9.pdf
- [7]. Bassey, J. (2019). Lagos flags off 'Green Campaign' on tree planting. *Business Day*. <https://businessday.ng/uncategorized/article/lagos-flags-off-green-campaign-on-tree-planting/>
- [9]. Barton, H., & Grant, M. (2006). A health map for the local human habitat. *Journal of The Royal Society for the Promotion of Health*, 126(6), 252–253. <https://doi.org/10.1177/1466424006070466>
- [10]. Beatley, Tim. (2014). Blue urbanism: Exploring connections between cities and oceans. *Blue Urbanism: Exploring Connections between Cities and Oceans*. 1-188. 10.5822/978-1-61091-564-9.
- [11]. Benedict, M. A., McMahon, E. T. (2006). Green infrastructure. Linking landscapes and communities. *The Conversation Fund* Island Press, Washington, DC.

- [12]. Bengtsson, L. (2005). Peak flows from thin sedum-moss roof. *Nordic Hydrology*, 36(3), 269–280. <https://doi.org/10.2166/nh.2005.0020>
- [13]. Bigon, L. (2009). A history of urban planning in two West African colonial capitals: Residential segregation in British Lagos and French Dakar (1850-1930). Lewiston, N.Y: Edwin Mellen Press.
- [14]. Bliss, D. J., Neufeld, R. D., Ries, R. J. (2009). Storm Water Runoff Mitigation Using a Green Roof. *Environmental Engineering Science*, 26(2):407-18. <https://doi.org/10.1089/ees.2007.0186>
- [15]. BNRCC (Building Nigeria's Response to Climate Change) (2012). Vulnerability, Impacts and Adaptation, Climate Change in Nigeria, retrieved from www.info@climatechange.org
- [16]. CBD (Secretariat of the Convention on Biological Diversity) (2009) Connecting biodiversity and climate change mitigation and adaptation: report of the second Ad Hoc technical expert group on biodiversity and climate change, Technical series no. 41. Canadian Electronic Library, Montreal
- [17]. CIRIA SuDS Manual. (2015). Document reference: CIRIA C753).
- [18]. Daly, E., Deletic, A., Hatt, B. E., & Fletcher, T. (2012). Modelling of stormwater biofilters under random hydrological variability: a case study of a car park at Monash University, Victoria (Australia). *Hydrological Processes*, 26(22), 3416 - 3424. <https://doi.org/10.1002/hyp.v26.22/i18202>
- [19]. Doswald, N., Osti, M. (2011). Ecosystem-based approaches to adaptation and mitigation: good practice examples and lessons learned in Europe. *Bundesamt für Naturschutz, (BfN)*. 306
- [20]. Elmqvist, T., Goodness, J., Marcotullio, P. J., Parnell, S., Sendstad, M., Wilkinson, C., Fragkias, M., Güneralp, B., McDonald, R. I., Schewenius, M., & Seto, K. C. (2013). Urbanization, biodiversity and ecosystem services: Challenges and opportunities: A global assessment. In *Urbanization, Biodiversity and Ecosystem Services: Challenges and Opportunities: A Global Assessment* (Issue October). <https://doi.org/10.1007/978-94-007-7088-1>
- [21]. Escobedo, F. J., Giannico, V., Jim, C. Y., Sanesi, G., & Laforteza, R. (2019). Urban forests, ecosystem services, green infrastructure and nature-based solutions: Nexus or evolving metaphors? *Urban Forestry and Urban Greening*, 37(February), 3–12. <https://doi.org/10.1016/j.ufug.2018.02.011>
- [22]. Ferreira, V., Barreira, A. P., Loures, L., Antunes, D., & Panagopoulos, T. (2020). Stakeholders' engagement on nature-based solutions: A systematic literature review. *Sustainability (Switzerland)*, 12(2), 1–27. <https://doi.org/10.3390/su12020640>
- [23]. Fletcher, T. D., Shuster, W., Hunt, W. F., Ashley, R., Butler, D., Arthur, S., Trowsdale, S., Barraud, S., Semadeni-Davies, A., Bertrand-Krajewski, J-L., Mikkelsen, P. S., Rivard, G., Uhl, M., Dagenais, D., Viklander, M. (2015). SUDS, LID, BMPs, WSUD and more – The evolution and application of terminology surrounding urban drainage. *Urban Water Journal*, 12:7, 525-542. <https://doi.org/10.1080/1573062X.2014.916314>
- [24]. Haase, D. (2017). Urban Wetlands and Riparian Forests as a Nature-Based Solution for Climate Change Adaptation in Cities and Their Surroundings. In: Kabisch, N. et al. (eds.), *Nature-based Solutions to Climate Change Adaptation in Urban Areas, Theory and Practice of Urban Sustainability Transitions*. DOI: 10.1007/978-3-319-56091-5_7.
- [25]. Hair, Lisa & Clements, Janet & Pratt, Joanna. (2014). Insights on the Economics of Green Infrastructure: A Case Study Approach. *Proceedings of the Water Environment Federation*. 2014. 5556-5585. [10.2175/193864714815938869](https://doi.org/10.2175/193864714815938869).
- [26]. Hartig, Terry & Mitchell, Richard & de Vries, Sjerp & Frumkin, Howard. (2014). Nature and Health. *Annual review of public health*. 35. [10.1146/annurev-publhealth-032013-182443](https://doi.org/10.1146/annurev-publhealth-032013-182443).
- [27]. Harvey, C. A. (2009). Connecting Biodiversity and Climate Change Mitigation and Adaptation: Report of the Second Ad Hoc Technical Expert Group on Biodiversity and Climate Change. (Issue September 2016). <https://doi.org/10.13140/RG.2.2.12351.10409>
- [28]. Idiege, D. A., Akise, O., Amadi, D., & Uruku, M. N. (2018). Effect of Urbanization on Wetland and Biodiversity

- in the Mangrove Forest of Lagos State , Nigeria. *FUW Trends in Science & Technology Journal*, 2(2), 991–995. www.ftstjournal.com- ISSN: 24085162; p-ISSN: 20485170.
- [29]. Idowu, T. E., & Home, P. G. (2015). Probable effects of sea level rise and land reclamation activities on coastlines and wetlands. The 2015 JKUAT Scientific Conference, November, 207–220. <http://journals.jkuat.ac.ke/index.php/jscp/article/view/1251/1028>
- [30]. Kabisch, N., Korn, H., Stadler, J., & Bonn, A. (2017). Nature- based Solutions to Climate Change Adaptation in Urban Areas, Theory and Practice of Urban Sustainability Transitions, DOI 10.1007/978-3-319-56091-5_1
- [31]. Kumar, A., Kanaujia, A. (2014). Wetlands: Significance, Threats and their Conservation. *Green*. ISSN 0975 – 3117.
- [32]. Laforteza, R., Davies, C., Sanesi, G., & Konijnendijk, C. C. (2013). Green infrastructure as a tool to support spatial planning in European urban regions. *IForest*, 6(1), 102–108. <https://doi.org/10.3832/ifor0723-006>
- [33]. Laforteza, R., Chen, J., van den Bosch, C. K., Randrup, T. B. (2018). Nature-based solutions for resilient landscapes and cities, *Environmental Research*, Volume 165, 431-441. <https://doi.org/10.1016/j.envres.2017.11.038>.
- [34]. Le Berre, I., Robert, S. (2017). Urbanization and the Ocean. In: Agathe, E., Françoise G., Denis L., Philippe, C. (eds.) *The Ocean Revealed*, CNRS éditions, 208-209. ISBN:978-2-271-11907-0.
- [35]. Loperfido, J.V., Gregory B. N., Jarnagin, S. T., Hogan, D. M. (2014). Effects of distributed and centralized stormwater best management practices and land cover on urban stream hydrology at the catchment scale, *Journal of Hydrology*, Volume 519, Part C, 2584-2595. <https://doi.org/10.1016/j.jhydrol.2014.07.007>.
- [36]. MacKinnon, K., Dudley, N., & Sandwith, T. (2011). Natural solutions: Protected areas helping people to cope with climate change. *Oryx*, 45(4), 461–462. <https://doi.org/10.1017/S0030605311001608>
- [37]. MacKinnon, K., van Ham, C., Reilly, K., & Hopkins, J. (2019). Nature-Based Solutions and Protected Areas to Improve Urban Biodiversity and Health. In : Marselle M., Stadler J., Korn H., Irvine K., Bonn A. (eds) *Biodiversity and Health in the Face of Climate Change*. Springer, Cham. https://doi.org/10.1007/978-3-030-02318-8_16
- [38]. (MacroTrends, 2020). Lagos, Nigeria metro area population 1950- 2021. www.macrotrends.net/cities/22007/lagos/population
- [39]. Mbajiorgu, C. (2019). Natural Flood Management: On Nature-Based Solutions for Water Management
- [40]. Muthanna, T. M., Viklander, M., Thorolfsson, S. T. (2008). Seasonal climatic effects on the hydrology of a rain garden. *Hydrological process* 22(11), 1640- 1649. <https://doi.org/10.1002/hyp.6732>
- [41]. Nkwunonwo, U.C., Whitworth, M. & Baily, B. (2016). A review and critical analysis of The efforts towards urban flood risk management in the Lagos region of Nigeria. *Natural Hazards and Earth System Sciences*, 16, pp. 349– 369, 2016. DOI: 10.5194/nhess-16-349-2016.
- [42]. Odunuga, S., Oyebande, L., & Omojola, A. S. (2012). Social-economic indicators and Public perception on urban flooding in Lagos, hydrology for disaster management. Special Publication of the Nigerian Association of Hydrological Sciences, NAHS, Abuja, 82–96
- [43]. Oshodi, L. (2013). Flood management and governance structure in Lagos, Nigeria, *Regions Magazine*, 292, 22– 24.
- [44]. Oteri, A. U., & Ayeni, R. A. (2016). The Lagos Megacity. Water, megacities and global change. Retrieved from <https://www.eaumea.org/wp-content/uploads/2016/05/EN-Lagos-Monograph.pdf>
- [45]. Pauleit, S., Zölch, T., Hansen, R., Randrup, T. B., & Konijnendijk van den Bosch, C. (2017). Nature-Based Solutions and Climate Change – Four Shades of Green. https://doi.org/10.1007/978-3-319-56091-5_3
- [46]. Premium times Nigeria. (2019). Internal Revenue: Lagos generated more than 20 states combined in 2019 – Report. Annual States Viability Index (ASVI). <https://www.premiumtimesng.com/news/t>

- op-news/405161-internal-revenue-lagos-generated-more-than-20-states-combined-in-2019-report.html
- [47]. Raymond, C. M., Frantzeskaki, N., Kabisch, N., Berry, P., Breil, M., Nita, M. R., Geneletti, D., & Calfapietra, C. (2017). A framework for assessing and implementing the co-benefits of nature-based solutions in urban areas. *Environmental Science and Policy*, 77(June), 15–24. <https://doi.org/10.1016/j.envsci.2017.07.008>
- [48]. Reid, H., Jones, X. H., & Roe, D. (2016). Ecosystem-based adaptation: a win-win formula for sustainability in a warming world? IIED Briefing, October. <http://pubs.iied.org/17364IIED>
- [49]. Rushton, B. (2001). Low-Impact Parking Lot Design Reduces Runoff and Pollutant Loads. *Journal of Water Resources Planning and Management-ASCE*, 127(3). DOI: 10.1061/(ASCE)0733-9496(2001)127:3(172).
- [50]. Scheuer, S., Haase, D., Meyer, V. (2012). Spatial explicit multi-criteria flood risk-fundamentals and semantics of multicriteria flood risk assessment. In: Wong TSW (ed) *Flood risk and flood management*. Nova Science Publishers Inc, Hauppauge
- [51]. Seddon, N., Hou Jones, X., Pye, T., Reid, H., Roe, D., Mountain, D. and Rivi, A.R. (2016). Ecosystem Based Adaptation: a win-win formula for sustainability in a warming world? IIED Briefing. London: International Institute for Environment and Development
- [52]. Sieker, F. (1998). On-site stormwater management as an alternative to conventional sewer systems: A new concept spreading in Germany. *Water Science and Technology*, 38(10), 65-71. [https://doi.org/10.1016/S0273-1223\(98\)00734-3](https://doi.org/10.1016/S0273-1223(98)00734-3).
- [53]. Sojobi A., Balogun I. & Salami, A. (2015). Climate change in Lagos state, Nigeria: what really changed? *Environmental monitoring and assessment* 188(10), 1- 43. 10.1007/S10661-016-5549-z.
- [54]. Srishantha, U., Rathnayake, U. (2017). Sustainable urban drainage systems (SUDS) – what it is and where do we stand today? *Engineering and Applied Science Research*, 44(4):235-241
- [55]. Stovin, Virginia. (2009). The potential of green roofs to manage Urban Stormwater. *Water and Environment Journal*. 24. 192 - 199. 10.1111/j.1747-6593.2009.00174.x.
- [56]. Stovin, V., Poë, S., & Berretta, C. (2013). A modelling study of long term green roof retention performance. *Journal of environmental management*, 131, 206–215. <https://doi.org/10.1016/j.jenvman.2013.09.026>
- [57]. Van der Sterren, M., Rahman, A., Shrestha, S., Barker, G., & Ryan, G. (2009). An overview of on-site retention and detention policies for urban stormwater management in the Greater Western Sydney Region in Australia. *Water International*, 34(3):362-72. <https://doi.org/10.1080/02508060903115175>.
- [58]. Venkataramanan, V., Packman, A. I., Peters, D. R., Lopez, D., McCuskey, D. J., McDonald, R. I., Miller, W. M., & Young, S. L. (2019). A systematic review of the human health and social well-being outcomes of green infrastructure for stormwater and flood management. *Journal of environmental management*, 246, 868–880. <https://doi.org/10.1016/j.jenvman.2019.05.028>
- [59]. Woods-Ballard, B., Kellagher, R., Woods Ballard, B., Construction Industry Research and Information Association, Great Britain, Department of Trade and Industry, & Environment Agency. (2007). *The SUDS manual*. In Ciria, <http://www.persona.uk.com/A47postwick/deposit-docs/DD-181.pdf>
- [60]. Xue, F., Gou, Z., Lau, S. S. Y., Lau, S. K., Chung, K. H., & Zhang, J. (2019). From biophilic design to biophilic urbanism: Stakeholders' perspectives. *Journal of Cleaner Production*, 211, 1444-1452. <https://doi.org/10.1016/j.jclepro.2018.11.277>